

## Appliance Standards Awareness Project

### 2024 State Appliance Standards Recommendations

#### Savings estimates for: Georgia

	Potential annual savings in 2030						Potential annual savings in 2040					
	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO <sub>x</sub> (tons)	SO <sub>2</sub> (tons)	CO <sub>2</sub> (thous. MT)	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO <sub>x</sub> (tons)	SO <sub>2</sub> (tons)	CO <sub>2</sub> (thous. MT)
Commercial battery chargers	5.1	--	--	0.1	0.3	0.9	14.8	--	--	0.3	1.0	2.4
Commercial dishwashers	9.1	224	311	10.3	0.5	13.5	26.6	654	911	30.1	1.7	39.1
Commercial fryers	2.5	838	--	38.0	0.1	45.0	6.7	2,235	--	101.4	0.44	119.8
Commercial ovens	6.6	106	--	4.9	0.4	6.8	17.6	283	--	13.1	1.2	17.9
Commercial steam cookers	4.2	33	93	1.6	0.2	2.5	11.2	89	248	4.2	0.7	6.5
Faucets	51.4	187	1,131	9.5	2.9	18.9	114.3	412	2,502	20.7	7.5	40.4
Gas fireplaces	--	169	--	7.6	--	9.0	--	544	--	24.6	--	28.9
High CRI fluorescent lamps	41.8	--	--	0.8	2.3	7.3	15.9	--	--	0.3	1.0	2.6
Irrigation controllers	--	--	2,165	--	--	--	--	--	6,977	--	--	--
Portable electric spas	21.1	--	--	0.4	1.2	3.7	41.6	--	--	0.8	2.7	6.8
Residential ventilating fans	3.3	--	--	0.1	0.2	0.6	10.6	--	--	0.2	0.7	1.7
Showerheads	65.2	233	972	11.8	3.6	23.7	144.8	517	2,161	26.1	9.5	50.9
Spray sprinkler bodies	--	--	3,984	--	--	--	--	--	8,854	--	--	--
Toilets (water closets)	--	--	412	--	--	--	--	--	1,253	--	--	--
Urinals	--	--	93	--	--	--	--	--	247	--	--	--
Water coolers	32.4	--	--	0.6	1.8	5.6	72.0	--	--	1.3	4.7	11.7
<b>Total</b>	<b>243</b>	<b>1,790</b>	<b>8,763</b>	<b>86</b>	<b>14</b>	<b>137</b>	<b>476</b>	<b>4,733</b>	<b>20,541</b>	<b>223</b>	<b>31</b>	<b>329</b>

Assuming a compliance date of 2026 for all the recommended standards. While we continue to recommend the adoption of state-level standards for commercial hot-food holding cabinets and computers and computer monitors, we have not estimated savings for these products due to insufficient data on the current market. We accounted for the interaction effects among irrigation controllers and spray sprinkler bodies in calculating the total water savings. The total potential water savings are thus smaller than the sum of the individual products.

## Savings estimates for: Georgia

	Potential annual utility bill savings (million 2022\$)		Net present value savings (million 2022\$)	Payback period (years)
	In 2030	In 2040		
Commercial battery chargers	0.4	1.1	7.3	2.4
Commercial dishwashers	6.9	22.8	191.8	1.2
Commercial fryers	7.6	22.1	143.6	3.1
Commercial ovens	1.6	4.5	9.6	7.1
Commercial steam cookers	1.9	5.7	49.9	1.0
Faucets	24.0	59.9	601.4	0.0
Gas fireplaces	2.8	9.7	85.2	0.7
High CRI fluorescent lamps	4.0	1.7	19.2	2.1
Irrigation controllers	28.5	105.9	957.8	0.8
Portable electric spas	2.5	5.3	42.3	1.3
Residential ventilating fans	0.4	1.3	12.3	0.0
Showerheads	24.3	60.5	606.0	0.0
Spray sprinkler bodies	52.4	134.4	1,231.8	0.9
Toilets (water closets)	5.4	19.0	236.9	0.0
Urinals	1.2	3.7	36.7	0.0
Water coolers	3.1	7.1	70.2	0.0
<b>Total</b>	<b>162</b>	<b>425</b>	<b>4,168</b>	<b>-</b>

Assuming a compliance date of 2026 for all the recommended standards. Net present value savings take into account both utility bill savings and estimated impacts on product costs for items sold between 2026 and 2050. While we continue to recommend the adoption of state-level standards for commercial hot-food holding cabinets and computers and computer monitors, we have not estimated savings for these products due to insufficient data on the current market. We accounted for the interaction effects among irrigation controllers and spray sprinkler bodies in calculating the total savings. The totals are thus smaller than the sum of the individual products.

## Cumulative savings estimates for: Georgia

	Potential cumulative savings through 2050						Utility bill savings (million 2022\$)
	Electricity (GWh)	Natural gas (TBtu)	Water (billion gallons)	NO <sub>x</sub> (tons)	SO <sub>2</sub> (tons)	CO <sub>2</sub> (thous. MT)	
Commercial battery chargers	276	--	--	4.9	16.2	41.3	19.7
Commercial dishwashers	490	12.1	16.8	554.9	28.8	713.7	419.4
Commercial fryers	127	42.5	--	1,926.8	7.5	2,274.7	414.5
Commercial ovens	335	5.4	--	249.6	19.7	335.9	83.3
Commercial steam cookers	212	1.7	4.7	80.4	12.5	121.7	108.8
Faucets	2,286	8.2	50.1	415.0	135.2	783.3	1,193.0
Gas fireplaces	--	9.8	--	446.2	--	523.0	175.7
High CRI fluorescent lamps	509	--	--	11.3	32.4	83.7	51.5
Irrigation controllers	--	--	126.3	--	--	--	1,948.4
Portable electric spas	848	--	--	15.5	50.3	128.5	105.4
Residential ventilating fans	191	--	--	3.4	11.2	28.6	23.9
Showerheads	2,896	10.3	43.2	520.8	171.2	986.5	1,202.3
Spray sprinkler bodies	--	--	177.1	--	--	--	2,698.3
Toilets (water closets)	--	--	26.1	--	--	--	405.5
Urinals	--	--	4.7	--	--	--	71.8
Water coolers	1,440	--	--	26.0	85.1	217.5	139.3
<b>Total</b>	<b>9,611</b>	<b>90</b>	<b>405</b>	<b>4,255</b>	<b>570</b>	<b>6,238</b>	<b>8,374</b>

Assuming a compliance date of 2026 for all the recommended standards. While we continue to recommend the adoption of state-level standards for commercial hot-food holding cabinets and computers and computer monitors, we have not estimated savings for these products due to insufficient data on the current market. We accounted for the interaction effects among irrigation controllers and spray sprinkler bodies in calculating the total water and utility bill savings. The total potential water and utility bill savings are thus smaller than the sum of the individual products.