

Appliance Standards Awareness Project

2024 State Appliance Standards Recommendations

Savings estimates for: [New Jersey](#)

	Potential annual savings in 2030						Potential annual savings in 2040					
	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)
Commercial battery chargers	2.2	--	--	0.1	0.1	0.4	5.9	--	--	0.3	0.3	1.2
Gas fireplaces	--	118	--	5.4	--	6.3	--	381	--	17.3	--	20.2
Irrigation controllers	--	--	1,665	--	--	--	--	--	5,135	--	--	--
Total	2	118	1,665	5	0.1	7	6	381	5,135	18	0.3	21

Assuming a compliance date of 2026 for all the recommended standards.

	Potential annual utility bill savings (million 2022\$)		Net present value savings (million 2022\$)	Payback period (years)
	In 2030	In 2040		
Commercial battery chargers	0.3	0.8	5.6	2.0
Gas fireplaces	1.0	3.4	27.6	1.3
Irrigation controllers	27.0	96.0	968.7	0.7
Total	28	100	1,002	--

Assuming a compliance date of 2026 for all the recommended standards. Net present value savings take into account both utility bill savings and estimated impacts on product costs for items sold between 2026 and 2050.

Cumulative savings estimates for: [New Jersey](#)

	Potential cumulative savings through 2050						Utility bill savings (million 2022\$)
	Electricity (GWh)	Natural gas (TBtu)	Water (billion gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)	
Commercial battery chargers	112	--	--	5.2	5.7	21.3	14.3
Gas fireplaces	--	6.9	--	312.6	--	366.3	61.0
Irrigation controllers	--	--	93.3	--	--	--	1,772.7
Total	112	7	93	318	6	388	1,848

Assuming a compliance date of 2026 for all the recommended standards.